

018157

中国鸟类志

下卷 雀形目



赵正阶 编著

ZHONGGUO

NIAOLEI ZHI

 吉林科学技术出版社

中国鸟类志

下卷 雀形目

赵正阶 编著

吉林省科教兴国(省)学术著作资助项目
(中国野生动物保护协会 吉林省林业厅 资助)

吉林科学技术出版社

内 容 提 要

本书是作者根据近 40 年对中国鸟类的研究和总结国内外有关中国鸟类的研究成果写成的一部系统而全面介绍中国鸟类的专著。全书分上、下两卷,总计鸟类 1288 种,分属于 20 目 89 科。其中上卷为非雀形目,计 19 目 55 科 574 种;下卷为雀形目,计 34 科 714 种。介绍了目今已发表的全部中国鸟类(包括近年来在港台地区和国外一些学术刊物上正式发表的新种和新记录),是迄今种类最全的一部中国鸟类专著。总论部分介绍了中国鸟类研究简史,鸟类基础知识,鸟类野外识别技巧,鸟类野外研究内容和方法,鸟类标本的收集、测量、鉴定、制作和保存,鸟类的经济意义和鸟类的保护等内容。各论部分详细介绍了每种鸟的野外鉴别特征、相似种之间的区别、形态特点、国内外的分布和亚种分化、目前在一些种的分类和亚种分化等分类学问题上的不同观点以及栖息生境、习性、食性、繁殖、迁徙、种群现状与保护等内容,书后附有每种鸟的原色图。

本书具有较高的学术价值和收藏价值,也是一部适用性较强的工具书,适于科研、教学、图书馆、农、林、医、牧、环保、野生动物管理和保护部门使用,也可供广大鸟类爱好者和自然爱好者参考。

图书在版编目(CIP)数据

中国鸟类志/赵正阶编著. —长春:吉林科学技术出版社,2001

ISBN 7-5384-2407-5

I. 中... II. 赵... III. 鸟类-分布-中国 IV. Q959.708

中国版本图书馆 CIP 数据核字(2001)第 23821 号

责任编辑:申桂兰 封面设计:杨玉中

中国鸟类志

下卷 雀形目

赵正阶 编著

*

吉林科学技术出版社出版、发行

长春新华印刷厂印刷

*

787×1092 毫米 16 开本 61.5 印张 4 插页 彩图 36 版 1 458 000 字

2001 年 6 月第一版 2001 年 6 月第一次印刷

上卷定价:130.00 元 下卷定价:160.00 元

ISBN 7-5384-2407-5/Q·20

版权所有 翻印必究

如有印装质量问题,可寄本社退换。

社址 长春市人民大街 124 号 邮编 130021 电话 5677817 5635177

电子信箱 JLKJCBS@public.cc.jl.cn 传真 5635185

内 容 提 要

本书是作者根据近 40 年对中国鸟类的研究和总结国内外有关中国鸟类的研究成果写成的一部系统而全面介绍中国鸟类的专著。全书分上、下两卷,总计鸟类 1288 种,分属于 20 目 89 科。其中上卷为非雀形目,计 19 目 55 科 574 种;下卷为雀形目,计 34 科 714 种。介绍了目今已发表的全部中国鸟类(包括近年来在港台地区和国外一些学术刊物上正式发表的新种和新记录),是迄今种类最全的一部中国鸟类专著。总论部分介绍了中国鸟类研究简史,鸟类基础知识,鸟类野外识别技巧,鸟类野外研究内容和方法,鸟类标本的收集、测量、鉴定、制作和保存,鸟类的经济意义和鸟类的保护等内容。各论部分详细介绍了每种鸟的野外鉴别特征、相似种之间的区别、形态特点、国内外的分布和亚种分化、目前在一些种的分类和亚种分化等分类学问题上的不同观点以及栖息生境、习性、食性、繁殖、迁徙、种群现状与保护等内容,书后附有每种鸟的原色图。

本书具有较高的学术价值和收藏价值,也是一部适用性较强的工具书,适于科研、教学、图书馆、农、林、医、牧、环保、野生动物管理和保护部门使用,也可供广大鸟类爱好者和自然爱好者参考。

图书在版编目(CIP)数据

中国鸟类志/赵正阶编著. —长春:吉林科学技术出版社,2001

ISBN 7-5384-2407-5

I. 中... II. 赵... III. 鸟类-分布-中国 IV. Q959.708

中国版本图书馆 CIP 数据核字(2001)第 23821 号

责任编辑:申桂兰 封面设计:杨玉中

中国鸟类志

下卷 雀形目

赵正阶 编著

*

吉林科学技术出版社出版、发行

长春新华印刷厂印刷

*

787×1092 毫米 16 开本 61.5 印张 4 插页 彩图 36 版 1 458 000 字

2001 年 6 月第一版 2001 年 6 月第一次印刷

上卷定价:130.00 元 下卷定价:160.00 元

ISBN 7-5384-2407-5/Q·20

版权所有 翻印必究

如有印装质量问题,可寄本社退换。

社址 长春市人民大街 124 号 邮编 130021 电话 5677817 5635177

电子信箱 JLKJCBS@public.cc.jl.cn 传真 5635185

A Handbook of the Birds of China

Volume II : Passerines

**By
Zhao Zheng - jie**

Jilin Science and Technology Press

2

Abstract in English

This is the first volume of the handbook of the birds of China which consists of two volumes.

This handbook, in two parts, is designed to help you identify and know any bird you are likely to see and know in China.

About 1288 species of birds are known so far in China (including in Chinese mainland, HongKong, Taiwan and some other islands). These species fall into two large natural groupings, the Non-passeriformes and the Passeriformes. The first volume of this book includes all the Non-passerine birds so far found in China totalling 574 species belonging to 55 families, 19 orders, and the second volume of this book includes all the Passeriformes birds so far found in China totalling 714 species belonging to 34 families.

For each of the species included in the handbook, the following topics are treated:

1. Names are given for each species in English, Chinese and Latin (the scientific name).
2. Identification and field marks as well as the difference from similar species.
3. Description and measurement.
4. Geographical distribution and subspecies, with emphasis on distributional localities in China.
5. Discussion of taxonomic problems and change of taxonomic status.
6. Habitat and habits.
7. Food and feeding.
8. Breeding.
9. Movements.
10. Status and conservation.

It describes also the history of birds researches in China, main characteristics of birds on the morphology, anatomy and taxonomy, the method of specimen measuring, making and preservation as well as the recognition of birds in the field in the general account of this book.

目 录

二十、雀形目 PASSERIFORMES	1
(一) 阔嘴鸟科 Eurylaimidae	1
1. 银胸丝冠鸟 <i>Serilophus lunatus</i> (Gould)	1
2. 长尾阔嘴鸟 <i>Psarisomus dalhousiae</i> (Jameson)	3
(二) 八色鸫科 Pittidae	4
3. 蓝枕八色鸫 <i>Pitta nipalensis</i> (Hodgson)	5
4. 蓝背八色鸫 <i>Pitta soror</i> Ramsay	6
5. 蓝八色鸫 <i>Pitta cyanea</i> Blyth	7
6. 仙八色鸫 <i>Pitta nympha</i> Temminck et schlegel	8
7. 蓝翅八色鸫 <i>Pitta moluccensis</i> (P. L. S. Müller)	9
8. 绿胸八色鸫 <i>Pitta sordida</i> (Müller)	11
9. 栗头八色鸫 <i>Pitta oatesi</i> (Hume)	12
10. 双瓣八色鸫 <i>Pitta phayrei</i> (Blyth)	13
(三) 百灵科 Alaudidae	14
11. 歌百灵 <i>Mirafra javanica</i> Horsfield	14
12. 二斑百灵 <i>Melanocorypha bimaculata</i> (Menetries)	16
13. 草原百灵 <i>Melanocorypha calandra</i> (Linnaeus)	17
14. 长嘴百灵 <i>Melanocorypha maxima</i> Blyth	18
15. 蒙古百灵 <i>Melanocorypha mongolica</i> Pallas	19
16. 白翅百灵 <i>Melanocorypha leucoptera</i> (Pallas)	21
17. 黑百灵 <i>Melanocorypha yelteniensis</i> Forst	22
18. 短趾百灵、短趾沙百灵 <i>Calandrella cinerea</i> (Gmelin)	23
19. 细嘴短趾百灵 <i>Calandrella acutirostris</i> Hume	24
20. 亚洲短趾百灵 <i>Calandrella cheleensis</i> (Swinhoe)	26
21. 凤头百灵 <i>Galerida cristata</i> Linnaeus	27
22. 云雀 <i>Alauda arvensis</i> Linnaeus	29
23. 小云雀 <i>Alauda gulgula</i> Franklin	31
24. 角百灵 <i>Eremophila alpestris</i> Linnaeus	32
(四) 燕科 Hirundinidae	34
25. 褐喉沙燕、棕沙燕 <i>Riparia paludicola</i> (Vieillot)	34
26. 崖沙燕、灰沙燕 <i>Riparia riparia</i> (Linnaeus)	35
27. 岩燕 <i>Hirundo rupestris</i> Scopoli	37

28. 纯色岩燕	<i>Hirundo concolor</i>	Sykes	38
29. 家燕	<i>Hirundo rustica</i>	Linnaeus	39
30. 洋斑燕、洋燕	<i>Hirundo tahitica</i>	Gmelin	42
31. 金腰燕	<i>Hirundo daurica</i>	Linnaeus	43
32. 斑腰燕	<i>Hirundo striolata</i>	Temminck et schlegel	46
33. 白腹毛脚燕、毛脚燕	<i>Delichon urbica</i>	(Linnaeus)	47
34. 烟腹毛脚燕	<i>Delichon dasypus</i>	(Bonaparte)	48
35. 黑喉毛脚燕	<i>Delichon nipalensis</i>	Hodgson	49
(五) 鹡鸰科	Motacillidae		50
36. 山鹡鸰	<i>Dendronanthus indicus</i>	(Gmelin)	51
37. 黄鹡鸰	<i>Motacilla flava</i>	Linnaeus	52
38. 黄头鹡鸰	<i>Motacilla citreola</i>	Pallas	54
39. 灰鹡鸰	<i>Motacilla cinerea</i>	Tunstall	55
40. 白鹡鸰	<i>Motacilla alba</i>	Linnaeus	57
41. 日本鹡鸰	<i>Motacilla grandis</i>	Sharpe	60
42. 印度鹡鸰、大鹡鸰	<i>Motacilla maderaspatensis</i>	Gmelin	61
43. 田鸫	<i>Anthus novaeseelandiae</i>	(Gmelin)	62
44. 平原鸫	<i>Anthus campestris</i>	Linnaeus	64
45. 布莱氏鸫	<i>Anthus godlewskii</i>	(Taczanowski)	65
46. 林鸫	<i>Anthus trivialis</i>	(Linnaeus)	66
47. 树鸫	<i>Anthus hodgsoni</i>	Richmond	67
48. 北鸫	<i>Anthus gustavi</i>	Swinhoe	68
49. 草地鸫	<i>Anthus pratensis</i>	(Linnaeus)	70
50. 红喉鸫	<i>Anthus cervinus</i>	(Pallas)	71
51. 粉红胸鸫	<i>Anthus roseatus</i>	Blyth	72
52. 水鸫	<i>Anthus rubescens</i>	(Tunstall)	73
53. 山鸫	<i>Anthus sylvanus</i>	(Hodgson)	75
(六) 山椒鸟科	Campephagidae		76
54. 大鹃鹲	<i>Coracina novaehollandiae</i>	(Gould)	76
55. 暗灰鹃鹲	<i>Coracina melaschistos</i>	(Hodgson)	77
56. 粉红山椒鸟	<i>Pericrocotus roseus</i>	(Vieillot)	79
57. 小灰山椒鸟	<i>Pericrocotus cantonensis</i>	Swinhoe	80
58. 灰山椒鸟	<i>Pericrocotus divaricatus</i>	(Raffles)	81
59. 灰喉山椒鸟	<i>Pericrocotus solaris</i>	Blyth	83
60. 长尾山椒鸟	<i>Pericrocotus ethologus</i>	Bangs et Phillips	85
61. 短嘴山椒鸟	<i>Pericrocotus brevirostris</i>	(Vigors)	86
62. 赤红山椒鸟	<i>Pericrocotus flammeus</i>	(Forster)	88
63. 褐背鹪鹩	<i>Hemipus picatus</i>	(Sykes)	90

64. 钩嘴林鹀	<i>Tephrodornis gularis</i> (Raffles)	91
(七) 鹎科	<i>Pycnonotidae</i>	92
65. 凤头雀嘴鹎	<i>Spizixos canifrons</i> Blyth	93
66. 领雀嘴鹎	<i>Spizixos semitorques</i> Swinhoe	94
67. 纵纹绿鹎	<i>Pycnonotus striatus</i> (Blyth)	95
68. 黑头鹎	<i>Pycnonotus atriceps</i> (Temminck)	96
69. 黑冠黄鹎	<i>Pycnonotus melanicterus</i> (Gmelin)	97
70. 红耳鹎	<i>Pycnonotus jocosus</i> (Linnaeus)	98
71. 黄臀鹎	<i>Pycnonotus xanthorrhous</i> Anderson	100
72. 白头鹎	<i>Pycnonotus sinensis</i> (Gmelin)	101
73. 台湾鹎	<i>Pycnonotus taiwanus</i> Styan	103
74. 黑喉红臀鹎	<i>Pycnonotus cafer</i> Linnaeus	104
75. 白喉红臀鹎	<i>Pycnonotus aurigaster</i> (Vieillot)	105
76. 纹喉鹎	<i>Pycnonotus finlaysoni</i> Strickland	106
77. 黄绿鹎	<i>Pycnonotus flavescens</i> Blyth	107
78. 黄腹冠鹎	<i>Criniger flaveolus</i> (Gould)	108
79. 白喉冠鹎	<i>Criniger pallidus</i> Swinhoe	109
80. 灰眼短脚鹎	<i>Hypsipetes propinquus</i> (Qustalet)	110
81. 绿翅短脚鹎	<i>Hypsipetes maclellandii</i> Horsfield	111
82. 灰短脚鹎	<i>Hypsipetes flavala</i> (Blyth)	112
83. 栗背短脚鹎	<i>Hypsipetes castanonotus</i> (Swinhoe)	114
84. 栗耳短脚鹎	<i>Hypsipetes amaurotis</i> (Temminck)	115
85. 黑短脚鹎	<i>Hypsipetes madagascariensis</i>	116
(八) 和平鸟科	<i>Irenidae</i>	118
86. 黑翅雀鹎	<i>Aegithina tiphia</i> (Linnaeus)	118
87. 大绿雀鹎	<i>Aegithina lafresnayei</i> (Hartlaub)	120
88. 蓝翅叶鹎	<i>Chloropsis cochinchinensis</i> (Gmelin)	121
89. 金额叶鹎	<i>Chloropsis aurifrons</i> (Temminck)	122
90. 橙腹叶鹎	<i>Chloropsis hardwicki</i> Jardine et Selby	123
91. 和平鸟	<i>Irena puella</i> (Latham)	124
(九) 太平鸟科	<i>Bombycillidae</i>	125
92. 太平鸟	<i>Bombycilla garrulus</i> Linnaeus	126
93. 小太平鸟	<i>Bombycilla japonica</i> (Siebold)	127
(十) 伯劳科	<i>Laniidae</i>	128
94. 虎纹伯劳	<i>Lanius tigrinus</i> Drapiez	128
95. 牛头伯劳	<i>Lanius bucephalus</i> Temminck et Schlegel	130
96. 红背伯劳	<i>Lanius collurio</i> Linnaeus	132
97. 荒漠伯劳	<i>Lanius isabellinus</i> Hemprich et Ehrenberg	134

4

98. 红尾伯劳	<i>Lanius cristatus</i>	Linnaeus	136
99. 栗背伯劳	<i>Lanius collurioides</i>	Lesson	138
100. 棕背伯劳	<i>Lanius schach</i>	Linnaeus	139
101. 黑伯劳 (棕背伯劳黑色型)	<i>Lanius fuscatus</i>	Lesson	141
102. 灰背伯劳	<i>Lanius tephronotus</i>	(Vigors)	142
103. 黑额伯劳	<i>Lanius minor</i>	Gmelin	144
104. 灰伯劳	<i>Lanius excubitor</i>	Linnaeus	145
105. 楔尾伯劳	<i>Lanius sphenocercus</i>	Cabanis	146
(十一) 黄鹡科	Oriolidae		148
106. 金黄鹡	<i>Oriolus oriolus</i>	(Linnaeus)	148
107. 黑枕黄鹡	<i>Oriolus chinensis</i>	Linnaeus	149
108. 黑头黄鹡	<i>Oriolus xanthornus</i>	(Linnaeus)	151
109. 朱鹡	<i>Oriolus traillii</i>	(Vigors)	152
110. 鹡鹡	<i>Oriolus mellianus</i>	Stresemann	153
(十二) 卷尾科	Dicruridae		154
111. 黑卷尾	<i>Dicrurus macrocercus</i>	Vieillot	154
112. 灰卷尾	<i>Dicrurus leucophaeus</i>	Vieillot	155
113. 鸦嘴卷尾	<i>Dicrurus annectans</i>	(Hodgson)	157
114. 古铜色卷尾	<i>Dicrurus aeneus</i>	Vieillot	158
115. 发冠卷尾	<i>Dicrurus hottentotus</i>	(Linnaeus)	159
116. 小盘尾	<i>Dicrurus remifer</i>	(Temminck)	161
117. 大盘尾	<i>Dicrurus paradiseus</i>	(Linnaeus)	162
(十三) 椋鸟科	Sturnidae		163
118. 灰头椋鸟	<i>Sturnus malabaricus</i>	(Gmelin)	163
119. 灰背椋鸟	<i>Sturnus sinensis</i>	(Gmelin)	164
120. 紫背椋鸟	<i>Sturnus philippensis</i>	(Forster)	165
121. 北椋鸟	<i>Sturnus sturninus</i>	(Pallas)	166
122. 粉红椋鸟	<i>Sturnus roseus</i>	(Linnaeus)	167
123. 紫翅椋鸟	<i>Sturnus vulgaris</i>	Linnaeus	168
124. 黑冠椋鸟	<i>Sturnus pagodarum</i>	(Gmelin)	169
125. 丝光椋鸟	<i>Sturnus sericeus</i>	(Gmelin)	170
126. 灰椋鸟	<i>Sturnus cineraceus</i>	Temminck	171
127. 黑领椋鸟	<i>Sturnus nigricollis</i>	(Paykull)	173
128. 红嘴椋鸟	<i>Sturnus burmannicus</i>	Jerdon	174
129. 斑椋鸟	<i>Sturnus contra</i>	Linnaeus	174
130. 家八哥	<i>Acridotheres tristis</i>	(Linnaeus)	175
131. 八哥	<i>Acridotheres cristatellus</i>	(Linnaeus)	176
132. 林八哥	<i>Acridotheres grandis</i>	Moore	178

133. 白领八哥	<i>Acridotheres albocinctus</i>	Godwin-Austen et Walden	178
134. 金冠树八哥	<i>Ampeliceps coronatus</i>	Blyth	179
135. 鹁哥	<i>Gracula religiosa</i>	Linnaeus	180
(十四) 燕鵙科	<i>Artamidae</i>		181
136. 灰燕鵙	<i>Artamus fuscus</i>	Vieillot	181
(十五) 鸦科	<i>Corvidae</i>		182
137. 黑头噪鸦	<i>Perisoreus internigrans</i>	(Thayer et Bangs)	183
138. 北噪鸦	<i>Perisoreus infaustus</i>	(Linnaeus)	183
139. 松鸦	<i>Garrulus glandarius</i>	(Linnaeus)	185
140. 东方绿鹊	<i>Cissa hypoleuca</i>	Salvadori et Giglioli	187
141. 蓝绿鹊	<i>Cissa chinensis</i>	(Boddaert)	188
142. 白翅蓝鹊、灰蓝鹊	<i>Urocissa whiteheadi</i>	Ogilvie-Grant	189
143. 黄嘴蓝鹊	<i>Urocissa flavirostris</i>	(Blyth)	190
144. 红嘴蓝鹊	<i>Urocissa erythrorhyncha</i>	(Boddaert)	191
145. 台湾蓝鹊	<i>Urocissa caerulea</i>	(Gould)	192
146. 灰喜鹊	<i>Cyanopica cyana</i>	(Pallas)	193
147. 喜鹊	<i>Pica pica</i>	(Linnaeus)	194
148. 黑额树鹊	<i>Dendrocitta frontalis</i>	McClelland	196
149. 棕腹树鹊	<i>Dendrocitta vagabunda</i>	(Latham)	197
150. 灰树鹊	<i>Dendrocitta formosae</i>	Swinhoe	198
151. 盘尾树鹊	<i>Crypsirina temia</i>	(Daudin)	199
152. 塔尾树鹊	<i>Temnurus temnurus</i>	(Temminck)	200
153. 黑尾地鸦	<i>Podoces hendersoni</i>	Hume	201
154. 白尾地鸦	<i>Podoces biddulphi</i>	Hume	202
155. 褐背拟地鸦	<i>Pseudopodoces humilis</i>	Hume	203
156. 星鸦	<i>Nucifraga caryocatactes</i>	(Linnaeus)	204
157. 红嘴山鸦	<i>Pyrrhocorax pyrrhocorax</i>	(Linnaeus)	206
158. 黄嘴山鸦	<i>Pyrrhocorax graculus</i>	(Linnaeus)	207
159. 家鸦	<i>Corvus splendens</i>	Vieillot	208
160. 秃鼻乌鸦	<i>Corvus frugilegus</i>	Linnaeus	209
161. 寒鸦	<i>Corvus monedula</i>	Linnaeus	210
162. 达乌里寒鸦	<i>Corvus daurica</i>	Pallas	212
163. 大嘴乌鸦	<i>Corvus macrorhynchos</i>	Wagler	213
164. 小嘴乌鸦	<i>Corvus corone</i>	Linnaeus	215
165. 白颈鸦	<i>Corvus torquatus</i>	Lesson	217
166. 渡鸦	<i>Corvus corax</i>	Linnaeus	218
(十六) 河乌科	<i>Cinclidae</i>		219
167. 河乌	<i>Cinclus cinclus</i>	(Linnaeus)	219

168. 褐河乌	<i>Cinclus pallasii</i> Temminck	221
(十七) 鹪鹩科	Troglodytidae	222
169. 鹪鹩	<i>Troglodytes troglodytes</i> (Linnaeus)	223
(十八) 岩鹪科	Prunellidae	225
170. 领岩鹪	<i>Prunella collaris</i> (Scopoli)	225
171. 高原岩鹪	<i>Prunella himalayana</i> (Blyth)	227
172. 鹪岩鹪	<i>Prunella rubeculoides</i> (Horsfield et Moore)	228
173. 棕胸岩鹪	<i>Prunella strophiatea</i> (Blyth)	229
174. 棕眉山岩鹪	<i>Prunella montanella</i> (Pallas)	230
175. 褐岩鹪	<i>Prunella fulvescens</i> (Severtzov)	231
176. 黑喉岩鹪	<i>Prunella atrogularis</i> (Brandt)	233
177. 贺兰山岩鹪	<i>Prunella koslowi</i> (Przevalski)	234
178. 栗背岩鹪	<i>Prunella immaculata</i> (Hodgson)	235
(十九) 鹎科	Turdidae	236
179. 栗背短翅鹎	<i>Brachypteryx stellata</i> Gould	236
180. 锈腹短翅鹎	<i>Brachypteryx hyperythra</i> Jerdon et Blyth	237
181. 白喉短翅鹎	<i>Brachypteryx leucophrys</i> (Temminck)	237
182. 蓝短翅鹎	<i>Brachypteryx montana</i> Blyth	239
183. 欧亚鹎	<i>Erithacus rubecula</i> (Linnaeus)	240
184. 日本歌鹎	<i>Erithacus akahige</i> (Temminck)	241
185. 琉球歌鹎	<i>Erithacus komadori</i> (Temminck)	242
186. 红尾歌鹎	<i>Luscinia sibilans</i> (Swinhoe)	243
187. 新疆歌鹎	<i>Luscinia megarhynchos</i> Brehm	244
188. 红喉歌鹎、红点颊	<i>Luscinia calliope</i> (Pallas)	245
189. 蓝喉歌鹎、蓝点颊	<i>Luscinia svecica</i> (Linnaeus)	247
190. 黑胸歌鹎	<i>Luscinia pectoralis</i> (Gould)	249
191. 棕头歌鹎	<i>Luscinia ruficeps</i> (Hartee)	250
192. 金胸歌鹎	<i>Luscinia pectardens</i> (David and Oustalet)	251
193. 黑喉歌鹎	<i>Luscinia obscura</i> (Berezowsky et Bianchi)	252
194. 栗腹歌鹎	<i>Luscinia brunnea</i> (Hodgson)	253
195. 蓝歌鹎	<i>Luscinia cyane</i> (Pallas)	254
196. 红胁蓝尾鹎	<i>Tarsiger cyanurus</i> (Pallas)	256
197. 金色林鹎	<i>Tarsiger chrysaeus</i> Hodgson	258
198. 棕腹林鹎	<i>Tarsiger hyperythrus</i> (Blyth)	259
199. 白眉林鹎	<i>Tarsiger indicus</i> (Vieillot)	260
200. 台湾林鹎、栗背林鹎	<i>Tarsiger johnstoniae</i> (Ogilvie-Grant)	261
201. 鹎鹛	<i>Copsychus saularis</i> Linnaeus	262
202. 白腰鹎鹛	<i>Copsychus malabaricus</i> (Scopoli)	264

203. 棕蔽鹟	<i>Cercotrichas galactotes</i> (Temm)	265
204. 贺兰山红尾鹟	<i>Phoenicurus alaschanicus</i> (Przevalski)	267
205. 红背红尾鹟	<i>Phoenicurus erythronotus</i> (Evensmann)	268
206. 蓝头红尾鹟	<i>Phoenicurus caeruleocephalus</i> Vigors	269
207. 赭红尾鹟	<i>Phoenicurus ochruros</i> (Gmelin)	270
208. 欧亚红尾鹟	<i>Phoenicurus phoenicurus</i> (Linnaeus)	272
209. 黑喉红尾鹟	<i>Phoenicurus hodgsoni</i> (Moore)	273
210. 蓝额红尾鹟	<i>Phoenicurus frontalis</i> Vigors	274
211. 白喉红尾鹟	<i>Phoenicurus schisticeps</i> (G. R. Gray)	276
212. 北红尾鹟	<i>Phoenicurus aureus</i> (Pallas)	277
213. 红腹红尾鹟	<i>Phoenicurus erythrogaster</i> (Güldenstadt)	279
214. 白顶溪鹟	<i>Chaimarrornis leucocephalus</i> (Vigors)	280
215. 红尾水鹟	<i>Rhyacornis fuliginosus</i> (Vigors)	282
216. 白腹短翅鹟、短翅鹟	<i>Hodgsonius phoenicuroides</i> (G. R. Gray)	283
217. 白尾蓝(地)鹟、白尾斑地鹟	<i>Cinclidium leucurum</i> (Hodgson)	284
218. 蓝额长脚地鹟	<i>Cinclidium frontale</i> Blyth	286
219. 蓝大翅鹟	<i>Grandala coelicolor</i> Hodgson	287
220. 小燕尾	<i>Enicurus scouleri</i> Vigors	288
221. 灰背燕尾	<i>Enicurus schistaceus</i> (Hodgson)	289
222. 黑背燕尾	<i>Enicurus leschenaulti</i> (Vieillot)	290
223. 斑背燕尾	<i>Enicurus maculatus</i> Maculatus	291
224. 紫宽嘴鹟	<i>Cochoa purpurea</i> Hodgson	292
225. 绿宽嘴鹟	<i>Cochoa viridis</i> Hodgson	293
226. 白喉石鹟	<i>Saxicola insignis</i> G. R. Gray	294
227. 黑喉石鹟	<i>Saxicola torquata</i> (Linnaeus)	295
228. 白斑黑石鹟	<i>Saxicola caprata</i> Linnaeus	297
229. 黑白林鹟	<i>Saxicola jerdoni</i> (Blyth)	299
230. 灰林鹟	<i>Saxicola ferrea</i> G. R. Gray	300
231. 沙鹟	<i>Oenanthe isabellina</i> (Temminck)	301
232. 穗鹟	<i>Oenanthe oenanthe</i> (Linnaeus)	302
233. 漠鹟	<i>Oenanthe deserti</i> (Temminck)	303
234. 白顶鹟	<i>Oenanthe pleschanka</i> (Lepechin)	305
235. 东方斑鹟	<i>Oenanthe picata</i> Blyth	307
236. 白背矶鹟	<i>Monticola saxatilis</i> (Linnaeus)	308
237. 蓝头〔白喉〕矶鹟	<i>Monticola gularis</i> (Swinhoe)	309
238. 栗腹矶鹟	<i>Monticola rufiventris</i> (Jardine et Selby)	311
239. 蓝矶鹟	<i>Monticola solitarius</i> (Linnaeus)	312
240. 红腹矶鹟	<i>Monticola philippensis</i> (Müller)	314

241. 紫啸鸫	<i>Myiophoneus caeruleus</i> (Scopoli)	315
242. 台湾紫啸鸫	<i>Myiophoneus insularis</i> Gould	317
243. 橙头地鸫	<i>Zoothera citrina</i> (Latham)	318
244. 白眉地鸫	<i>Zoothera sibirica</i> (Pallas)	319
245. 光背地鸫	<i>Zoothera mollissima</i> (Blyth)	321
246. 长尾地鸫	<i>Zoothera dixonii</i> (Seeböhm)	322
247. 虎斑地鸫	<i>Zoothera dauma</i> (Latham)	323
248. 长嘴地鸫	<i>Zoothera marginata</i> Blyth	326
249. 黑胸鸫	<i>Turdus dissimilis</i> Blyth	327
250. 灰背鸫	<i>Turdus hortulorum</i> Scater	328
251. 乌灰鸫	<i>Turdus cardis</i> Temminck	329
252. 白颈鸫	<i>Turdus albocinctus</i> Royle	331
253. 灰翅鸫	<i>Turdus boulboul</i> (Latham)	332
254. 乌鸫	<i>Turdus merula</i> Linnaeus	333
255. 岛鸫、白头鸫	<i>Turdus poliocephalus</i> Latham	335
256. 灰头鸫	<i>Turdus rubrocanus</i> G. R. Gray	336
257. 棕背黑头鸫、棕背鸫	<i>Turdus kessleri</i> Przevalski	337
258. 褐头鸫	<i>Turdus feae</i> (Salvadori)	338
259. 白腹鸫	<i>Turdus pallidus</i> Gmelin	339
260. 白眉鸫	<i>Turdus obscurus</i> Gmelin	341
261. 赤胸鸫、红腹鸫	<i>Turdus chrysolaus</i> Temminck	342
262. 赤颈鸫	<i>Turdus ruficollis</i> Pallas	343
263. 黑喉鸫	<i>Turdus atrogularis</i> Jarocki	345
264. 斑鸫	<i>Turdus naumanni</i> Temminck	346
265. 田鸫	<i>Turdus pilaris</i> Linnaeus	348
266. 宝兴歌鸫	<i>Turdus mupinensis</i> Laubmann	350
267. 白眉歌鸫	<i>Turdus iliacus</i> Linnaeus	351
268. 欧歌鸫	<i>Turdus philomelos</i> Brehm	352
269. 槲鸫	<i>Turdus viscivorus</i> Linnaeus	353
(二十) 画眉科	Timaliidae	354
270. 棕头幽鹛	<i>Pellorneum ruficeps</i> Swainson	355
271. 白腹幽鹛	<i>Pellorneum albiventris</i> (Godwin-Austen)	356
272. 棕胸雅鹛	<i>Trichastoma tickelli</i> (Blyth)	357
273. 长嘴钩嘴鹛	<i>Pomatorhinus hypoleucos</i> (Blyth)	358
274. 锈脸钩嘴鹛	<i>Pomatorhinus erythrogenys</i> Vigors	359
275. 棕颈钩嘴鹛	<i>Pomatorhinus ruficollis</i> Hodgson	361
276. 棕头钩嘴鹛	<i>Pomatorhinus ochraceiceps</i> Walden	363
277. 红嘴钩嘴鹛	<i>Pomatorhinus ferruginosus</i> Blyth	364

278. 剑嘴鹛	<i>Xiphirhynchus superciliaris</i> (Blyth)	365
279. 灰岩鹛	<i>Napothera crispifrons</i> (Blyth)	366
280. 短尾鹛	<i>Napothera brevicaudata</i> (Blyth)	367
281. 纹胸鹛	<i>Napothera epilepidota</i> (Temminck)	368
282. 长嘴鹛	<i>Rimator malacoptilus</i> Blyth	369
283. 大鳞胸鹛	<i>Pnoepyga albiventer</i> (Hodgson)	370
284. 小鳞胸鹛	<i>Pnoepyga pusilla</i> Hodgson	372
285. 斑翅鹛	<i>Spelaornis troglodytoides</i> (Verreaux)	373
286. 丽星鹛	<i>Spelaornis formosus</i> (Walden)	374
287. 长尾鹛	<i>Spelaornis chocolatinus</i> (Godwin-Austen et walden)	375
288. 楔嘴鹛	<i>Sphenocichla humei</i> (Mandelli)	376
289. 黄喉穗鹛	<i>Stachyris ambigua</i> (Harington)	377
290. 红头穗鹛	<i>Stachyris ruficeps</i> Blyth	378
291. 金头穗鹛	<i>Stachyris chrysaee</i> Blyth	380
292. 黑头穗鹛	<i>Stachyris nigriceps</i> Blyth	381
293. 斑颈穗鹛	<i>Stachyris striolata</i> (Müller)	382
294. 纹胸鹛	<i>Macronous gularis</i> (Horsfield)	383
295. 红顶鹛	<i>Timalia pileata</i> Horsfield	384
296. 金眼鹛雀	<i>Chrysomma sinense</i> (Gmelin)	385
297. 宝兴鹛雀	<i>Moupinia poecilotis</i> (Verreaux)	387
298. 矛纹草鹛	<i>Babax lanceolatus</i> (Verreaux)	388
299. 大草鹛	<i>Babax waddelli</i> Dresser	389
300. 棕草鹛	<i>Babax koslowi</i> (Bianchi)	391
301. 黑脸噪鹛	<i>Garrulax perspicillatus</i> (Gmelin)	392
302. 白喉噪鹛	<i>Garrulax albogularis</i> (Gould)	393
303. 白冠噪鹛	<i>Garrulax leucolophus</i> (Hardwicke)	395
304. 小黑领噪鹛	<i>Garrulax monileger</i> (Hodgson)	396
305. 黑领噪鹛	<i>Garrulax pectoralis</i> (Gould)	397
306. 条纹噪鹛	<i>Garrulax striatus</i> (Vigors)	399
307. 白颈噪鹛、栗喉噪鹛	<i>Garrulax strepitans</i> Blyth	400
308. 褐胸噪鹛	<i>Garrulax maesi</i> (Qustalet)	400
309. 黑喉噪鹛	<i>Garrulax chinensis</i> (Scopoli)	401
310. 黄腹噪鹛	<i>Garrulax galbanus</i> Godwin-Austen	403
311. 杂色噪鹛	<i>Garrulax variegatus</i> (Vigors)	404
312. 山噪鹛	<i>Garrulax davidi</i> (Swinhoe)	405
313. 黑额山噪鹛	<i>Garrulax sukatschewi</i> (Berezovski et Bianchi)	406
314. 灰翅噪鹛	<i>Garrulax cineraceus</i> (Godwin-Austen)	407
315. 斑背噪鹛	<i>Garrulax lunulatus</i> (Verreaux)	408

316. 白点鹩	<i>Garrulax bieti</i> (Oustalet)	409
317. 大噪鹩、花背噪鹩	<i>Garrulax maximus</i> (Verreaux)	410
318. 眼纹噪鹩	<i>Garrulax ocellatus</i> (Vigors)	411
319. 灰肋噪鹩	<i>Garrulax caerulatus</i> (Hodgson)	413
320. 棕噪鹩	<i>Garrulax poecilorhynchus</i> Gould	414
321. 栗〔棕〕颈噪鹩	<i>Garrulax ruficollis</i> (Jardine et selby)	415
322. 斑胸噪鹩	<i>Garrulax merulinus</i> Blyth	416
323. 画眉	<i>Garrulax canorus</i> (Linnaeus)	417
324. 白颊噪鹩	<i>Garrulax sannio</i> Swinhoe	418
325. 细纹噪鹩	<i>Garrulax lineatus</i> (Vigors)	420
326. 蓝翅噪鹩、鳞斑噪鹩	<i>Garrulax squamatus</i> (Gould)	421
327. 纯色噪鹩	<i>Garrulax subunicolor</i> (Blyth)	422
328. 橙翅噪鹩	<i>Garrulax elliotii</i> (Verreaux)	423
329. 灰腹噪鹩	<i>Garrulax henrici</i> (Qustalet)	425
330. 黑顶噪鹩	<i>Garrulax affinis</i> Blyth	426
331. 玉山噪鹩、金翼白鹩	<i>Garrulax morrisonianus</i> (Ogilvie-Grant)	427
332. 红头噪鹩	<i>Garrulax erythrocephalus</i> (Vigors)	428
333. 丽色噪鹩	<i>Garrulax formosus</i> (Verreaux)	430
334. 赤尾噪鹩	<i>Garrulax milnei</i> (David)	431
335. 红翅薮鹩	<i>Liocichla phoenicea</i> (Gould)	432
336. 灰胸薮鹩	<i>Liocichla omeiensis</i> Riley	433
337. 黄痣薮鹩、黄胸薮鹩	<i>Liocichla steerii</i> Swinhoe	434
338. 银耳相思鸟	<i>Leiothrix argenteauris</i> (Hodason)	435
339. 红嘴相思鸟	<i>Leiothrix lutea</i> (Scopoli)	436
340. 火尾绿鹩	<i>Myzornis pyrrhoura</i> Blyth	438
341. 斑肋姬鹩	<i>Cutia nipalensis</i> Hodgson	439
342. 棕腹鸲鹩	<i>Pteruthius rufiventer</i> Blyth	440
343. 红翅鸲鹩	<i>Pteruthius flaviscapis</i> (Temminck)	441
344. 淡绿鸲鹩	<i>Pteruthius xanthochlorus</i> J. E. Gray	443
345. 栗喉鸲鹩	<i>Pteruthius melanotis</i> Hodgson	444
346. 栗额鸲鹩	<i>Pteruthius aenobarbus</i> (Temminck)	445
347. 白头鸲鹩	<i>Campsorhynchus rufulus</i> Blyth	446
348. 锈额斑翅鹩、栗额斑翅鹩、栗眶斑翅鹩	<i>Actinodura egertoni</i> Gould	447
349. 白眶斑翅鹩	<i>Actinodura ramsayi</i> (Walden)	449
350. 纹头斑翅鹩	<i>Actinodura nipalensis</i> (Hodgson)	449
351. 纹胸斑翅鹩	<i>Actinodura waldeni</i> (Godwin-Austan)	450
352. 灰头斑翅鹩	<i>Actinodura souliei</i> (Oustalet)	451
353. 栗头斑翅鹩、台湾斑翅鹩	<i>Actinodura morrisoniana</i> (Ogilvie-Grant)	452

354. 蓝翅希鹇	<i>Minla cyanouroptera</i> (Hodgson)	453
355. 斑喉希鹇	<i>Minla strigula</i> (Hodgson)	454
356. 火尾希鹇	<i>Minla ignotincta</i> (Hodgson)	455
357. 金胸雀鹇	<i>Alcippe chrysotis</i> (Blyth et Hodgeson)	457
358. 金额雀鹇	<i>Alcippe variegaticeps</i> (Yen)	458
359. 黄喉雀鹇	<i>Alcippe cinerea</i> (Blyth)	459
360. 栗头雀鹇	<i>Alcippe castaneiceps</i> (Hodgson)	460
361. 白眉雀鹇	<i>Alcippe vinipectus</i> (Hodgson)	461
362. 高山雀鹇	<i>Alcippe striaticollis</i> (Verreaux)	462
363. 棕头雀鹇	<i>Alcippe ruficapilla</i> (Verreaux)	463
364. 褐头雀鹇	<i>Alcippe cinereiceps</i> (Verreaux)	464
365. 棕喉雀鹇	<i>Alcippe rufogularis</i> (Gould)	466
366. 褐胁雀鹇	<i>Alcippe dubia</i> (Hume)	467
367. 褐顶雀鹇、褐雀鹇	<i>Alcippe brunnea</i> Gould	468
368. 褐脸雀鹇、灰眼雀鹇	<i>Alcippe poioicephala</i> (Jerdon)	470
369. 灰眶雀鹇、锈眼画眉、灰头雀鹇、灰脸雀鹇	<i>Alcippe morrisonia</i> (Swinhoe)	471
370. 白眶雀鹇	<i>Alcippe nipalensis</i> (Hodgson)	473
371. 栗背奇鹇	<i>Heterophasia annectens</i> (Blyth)	474
372. 黑顶奇鹇	<i>Heterophasia capistrata</i> (Vigors)	475
373. 灰奇鹇	<i>Heterophasia gracilis</i> (Horsfield)	476
374. 黑头奇鹇、鹊色奇鹇	<i>Heterophasia melanoleuca</i> (Blyth)	477
375. 白耳奇鹇	<i>Heterophasia auricularis</i> (Swinhoe)	479
376. 丽色奇鹇	<i>Heterophasia pulchella</i> (Godwin-austen)	479
377. 长尾奇鹇	<i>Heterophasia picaoides</i> (Hodgson)	480
378. 栗耳凤鹇、条纹凤鹇	<i>Yuhina castaniceps</i> (Horsfield et Moore)	481
379. 白项凤鹇、栗头凤鹇	<i>Yuhina bakeri</i> (Rothschild)	482
380. 黄颈凤鹇	<i>Yuhina flavicollis</i> (Hodgson)	483
381. 纹喉凤鹇	<i>Yuhina gularis</i> (Hodgson)	484
382. 白领凤鹇	<i>Yuhina diademata</i> Verreaux	485
383. 棕肛凤鹇	<i>Yuhina occipitalis</i> (Hodgson)	487
384. 褐头凤鹇	<i>Yuhina brunneiceps</i> (Ogilvie-grant)	488
385. 黑颊凤鹇、黑额凤鹇	<i>Yuhina nigrimenta</i> (Blyth)	489
386. 白腹凤鹇	<i>Yuhina xantholeuca</i> (Blyth)	490
(二十一) 鸦雀科	<i>Paradoxornithidae</i> (Panuridae)	491
387. 文须雀	<i>Panurus biarmicus</i> (Linnaeus)	491
388. 红嘴鸦雀	<i>Conostoma aemodium</i> (Hodgson)	493
389. 三趾鸦雀	<i>Paradoxornis paradoxus</i> (Verreaux)	494
390. 褐鸦雀	<i>Paradoxornis unicolor</i> (Hodgson)	494