中药植物原色图鉴

中国医学科学院药用植物资源开发研究所

肖培根　连文琰　主编

中国农业出版社

需要全本请访问 www.ertongbook.com

本书由北京·中国农业出版社与台北·南天书局合作出版

主　　编　肖培根　连文琰
副 主 编　刘玉琇
编　　者　连文琰　刘玉琇　顾志平　林余霖
　　彭　勇
摄　　影　刘玉琇　顾志平　林余霖　彭治章
　　郑汉巨　邬家林　孙祖基　吴光弟
　　李延辉　严仲铠　高士贤　张效杰
　　巫金华　郭绍荣　魏德文　邱年永
出版策划　魏德文
版式设计　徐庆芸　魏峥媛

THE ILLUSTRATED MEDICINAL PLANTS OF CHINA

Edited by

Xiao Peigen · Lian Wenyan

Institute of Medicinal Plant Development

Chinese Academy of Medical Sciences

China Agriculture Press

图书在版编目（CIP）数据

中药植物原色图鉴/肖培根，连文琰主编. -北京：中国农业出版社，1999. 9
ISBN 7-109-04177-8

Ⅰ. 中… Ⅱ. ①肖… ②连… Ⅲ. 中草药-药用植物-图鉴 Ⅳ. 9567-64

中国版本图书馆 CIP 数据核字（1999）第 31910 号

中国农业出版社出版
（北京市朝阳区农展馆北路 2 号）
（邮政编码 100026）
出版人：沈镇昭
责任编辑 徐 晖 孙 林

深圳中华商务联合印刷有限公司印刷 新华书店北京发行所发行
1999 年 10 月第 1 版 1999 年 10 月北京第 1 次印刷

开本：787mm×1092mm 1/16 印张：41
字数：1243 千字 印数：1～3 000 册
定价：298.00 元

（凡本版图书出现印刷、装订错误，请向出版社发行部调换）

主　编　序

人类即将进入21世纪，但人口膨胀、资源匮乏、环境恶化等难题依然困惑着人们，人类要回归大自然的呼声日益高涨，在这种思潮的影响下，人们又重新重视天然药物和传统草药，因而绿色药品又受到了青睐和普遍关注。

炎黄子孙应用传统药物已经有十分悠久的历史，中草药作为防治疾病的有效手段和一门知识，人们十分渴望了解这些中草药的形态特征如何？它们生长在哪里？含有什么成分？具有哪些作用？临床上对哪些病症有效等等。基于这个目的，《中药植物原色图鉴》在作者们的紧密合作下，终于和广大读者见面了。

这部图鉴，共收载了常用和较常用的中草药600种，每种均附有一幅形态逼真的彩色照片，并对其有正名、别名、来源、形态、分布、采制、成分、药理、功效以及临床应用等内容作了简要的文字叙述。这些资料对从事中药科研、教学、生产、经营等人员将具有很好的参考作用。

需要指出的是，这部著作不是以指导临床应用为主要目的，因而读者在具体应用时，必须在医生的指导下方能进行，以避免误用，产生不良后果。

最后，我们衷心欢迎广大读者在使用过程中，对本书不吝指正。

肖 培 根　教授
中国工程院　院士
中国医学科学院药用植物资源开发研究所　所长
世界卫生组织传统医学合作研究中心　主任
1996年11月10日

需要全本请访问 www.ertongbook.com

EDITOR'S PREFACE

We are about to enter the twenty-first century and we are puzzled by such difficult problems as rapid increases in population, shortages of resources, and the deterioration of the environment. With each day, cries for "humankind to return to nature" increase, and with this idea in mind, people are again paying attention to natural medicines and traditional medicinal plants. "Green medicines" have received widespread favor and attention.

The Chinese people already have a relatively long history of using traditional medicines. Chinese medicinal plants have provided an effective means of preventing and treating illnesses and are an important facet of knowledge. The general public yearns to know what are the special characteristics of these Chinese medicinal plants? Where do they grow? What ingredients do they contain? How can they be used? And, in clinical terms, which diseases are they effective in treating? With this purpose in mind, *The Illustrated Medicinal Plants of China* has finally become available to the reading public through the close collaboration of the authors.

The Illustrated Medicinal Plants of China includes information on six hundred commonly and less commonly used Chinese medicinal plants. A full-color photograph is provided for each plant and a brief outline that describes official names, alternate names, origins, characteristics, geographic distribution, collection and processing, constituents, medicinal properties and pharmacological actions, and clinical applications is also included. This information will provide valuable reference for those engaged in scientific research, teaching and the production and marketing of Chinese medicines.

It is worth pointing out that the primary purpose of this book is not to provide guidance for clinical use. The reader must actually use these medicines as prescribed by a doctor in order to avoid misuse and the ill effects that might result.

Finally, we wholeheartedly welcome suggestions and comments from all readers as they make use of this book.

Professor **Xiao Peigen**

Director, Institute of Medicinal Plant development, Chinese Academy of Medical Sciences

Consultant, WHO Cooperative Research Centre for Traditional Medicines

November 10th, 1996

凡　例

1.《中药植物原色图鉴》全书收藏我国中草药600种，全部采用各种中草药自然生长环境下的彩色照片，并附有中文描述，以便广大读者对该中草药能更加深入的了解。

2.本书收载的中草药按科归类，科的顺序依据《中国高等植物图鉴》，从低等到高等进行排列；科内植物属和属内各种中草药，均按拉丁学名A、B、C字母顺序排列。

3.每种中草药的描述，包括正名、别名、来源、形态、分布、采制、成分、药理、功效及临床应用等项内容。

4.本书所述正名，一般选用中草药的常用名称，如地黄、桔梗、甘草等；如某种中草药为多来源的，则正名用各来源植物的植物名，其后括注中药名，如桃（桃仁）、山桃（桃仁），又如，一把伞南星（天南星）、掌叶半夏（天南星）；若某植物的根或果实，根茎或块根均作中药应用，则以一药作正名，另一药附在括弧内，说明一种植物的不同部位作两种中药使用，如槐米（附槐角）；如是民间草药，则用民间常用药名或采用通用的植物名。

5.别名。收载我国各地该中草药的民间俗用名，由于篇幅有限，只收主要别名。

6.来源。科学地记载各种中草药原植物的科名、植物学名及其药用部位。

7.形态。较详细地描述各种中草药原植物及药用部分的形态特征。

8.分布。记述该植物在野生状态下的生长环境或其栽培状况，及其在我国境内的分布概况，分布的种列至大区，如长江以南各省（区）及东北、西南等，但多以省（区）为主。

9.采制。记述各种中草药的采收季节及采收方法，以及该中草药的加工、炮制等加工方法。

10.成分。收载各种中草药所含的主要化学成分及其活性成分。

11.药理。收载各种中草药的不同制剂，提取物或其活性成分对动物的药理作用。

12.功效。记述各种中草药的味、性、功能及主治、用法、用量等，并注意记载其毒性及禁忌等内容。

13.临床应用。记述各种中草药用于治疗某种疾病所采用的传统方剂或现代临床上应用的概况，以及民间应用的经验。

14.书前附有全书的目录，书后附有各种中草药的拉丁学名和中文名笔画、拼音索引，以便检索。

EXPLANATORY NOTE

1. *The Illustrated Medicinal Plants of China* contains information on 600 species of plants used in the preparation of Chinese medicines. In order to help the reader gain a deeper understanding of these plants, each entry includes a color illustration of a plant in its natural habitat and a description of the plant in Chinese .

2. The Chinese medicines described in this book are grouped according to family. The families are ordered after the *Iconographia Cormothytorum Siniscrum* from lower to higher level. Within each family, plants are organized alphabetically according to the Latin spelling of the scientific names of their genus and species.

3. The description of each Chinese medicine includes its official name, alternate names, origins, characteristics, geographic distribution, collection and processing, constituents, pharmacological actions, indications, and clinical applications.

4. The official names given in this book are, in general, taken from the commonly used name for each Chinese medicine, such as Rehmanniae Radix, Platycodonis Radix, Glycyrrhizae Radix, and so on. If a kind of Chinese medicine has multiple origins, then the botanical name of each source plant is given and the name of the Chinese medicine follows in parentheses, e. g . , *Prunus persica* (Persicae semen), *Prunus davidiana* (Persicae semen), or *Arisaema erubescens* (Arisaematis rhizoma) and *Pinellia pedatisecta* (Arisaematis rhizoma). If a plant' s roots, fruit, rhizomes, and tubers are all used to make Chinese medicines, they are listed under one official name and subsidiary names are included in parentheses, thus explaining that the different parts of one plant are used to produce more than one kind of Chinese medicine, e. g . , Sophorae Flos Immaturus (Sophorae Fructus). In the case of popular remedies, either the popular name or the commonly-known plant name is used.

5. Alternate names. Common alternate names from different parts of China for each medicinal plant are provided, though space constraints limits these to the most common names only.

6. Origins. Scientifically records the family and botanical name of each plant and indicates the part or parts used for medicine.

7. Characteristics. Describes in morphological detail the plant from which each Chinese medicine is taken and the special characteristics of the parts that are used .

8. Geographic distribution. Records the growing environment in the wild for each plant or conditions for cultivation, as well as a summary of its geographic distribution in China. Geographic distribution is divided into major regions such as provinces south of the Yangtze River, the Northeast, the Southwest, and so on, though distribution for most plants is listed by province.

9. Collection and processing. Describes the seasons for and methods of collecting each plant, and outlines the ways in which plants are processed and refined.

10. Constituents. Describes the main chemical and active components of each medicinal plant.

11. Pharmacological actions. Describes the properties and actions of various preparations,

extracts, and active ingredients of each plant on animals.

12. Indications. Describes the flavor, properties, major functions, uses and dosages of each Chinese medicine and notes its toxicity and incompatibilties.

13. Clinical applications. Provides a summary of the use of each Chinese medicine in both traditional formulas and modern clinical applications for treating specific illnesses. Also describes experiences with popular applications.

14. For ease in locating information, this book includes a full table of contents and has indices organized by scientific and Chinese names (stroke-count index and alphabetic index).

目　录

主编序

凡例

海带科 Laminariaceae

1 海　带 *Laminaria japonica* Aresch. …… 1

翅藻科 Alariaceae

2 裙带菜 *Undaria pinnatifida*(Harv.) Sur. …… 2

马尾藻科 Sargassaceae

3 羊栖菜 *Sargassum fusiforme* (Harv.)Setchell …… 3

4 海蒿子 *Sargassum pallidum*(Turn.)C. Ag. …… 4

麦角菌科 Clavicipitaceae

5 冬虫夏草 *Cordyceps sinensis* (Berk.)Sacc. …… 5

银耳科 Tremellaceae

6 银　耳 *Tremella fuciformis* Berk. …… 6

多孔菌科 Polyporaceae

7 赤　芝 *Ganoderma lucidum* (Leyss. ex Fr.)Karsten …… 7

8 紫　芝 *Ganoderma sinensis* Zhao, Xu et Zhang …… 8

9 雷　丸 *Polyporus mylittae* Cooke et Mass. …… 9

10 猪　苓 *Polyporus umbellatus* (Pers.) Fr. …… 10

11 茯　苓 *Poria cocos* (Schw.)Wolf …… 11

灰包科 Lycoperdaceae

12 大马勃 *Clavatia gigantea* (Batsch ex Pers.)Lloyd …… 12

石松科 Lycopodiaceae

13 石　松 *Lycopodium japonicum* Thunb. …… 13

卷柏科 Selaginellaceae

14 卷　柏 *Selaginella tamariscina* (Beauv.)Spring …… 14

木贼科 Equisetaceae

15 木　贼 *Equisetum hiemale* L. …… 15

紫萁蕨科 Osmundaceae

16 紫萁贯众 *Osmunda japonica* Thunb. …… 16

海金沙科 Lygodiaceae

17 海金沙 *Lygodium japonicum* (Thunb.)Sw …… 17

蚌壳蕨科 Dicksoniaceae

18 狗　脊 *Cibotium barometz*(L.)J. Smith …… 18

凤尾草科 Pteridaceae

19 凤尾草 *Pteris multifida* Poir. …… 19

水龙骨科 Polypodiaceae

20 槲　蕨 *Drynaria fortunei*(Kunze)J. Smith …… 20

21 北京石韦 *Pyrrosia davidii* (Bak.)Ching …… 21

22 有柄石韦 *Pyrrosia petiolosa* (Christ) Ching …… 22

23 庐山石韦 *Pyrrosia sheareri*(Bak.)Ching …… 23

银杏科 Ginkgoaceae

24 白　果 *Ginkgo biloba* L. …… 24

松科 Pinaceae

25 华山松 *Pinus armandii* Franch. …… 25

26 马尾松 *Pinus massoniana* Lamb. …… 26

27 油 松 *Pinus tabulaeformis* Carr. …… 27
28 云 南 松 *Pinus yunnanensis* Franch. …… 28
柏科 Cupressaceae
29 侧 柏 *Platycladus orientalis*(L.)France. …… 29
罗汉松科 Podocarpaceae
30 短叶罗汉松 *Podocarpus macrophyllus*(Thunb.)D. Don var. *maki* Endl. …… 30
三尖杉科 Cephalotaxaceae
31 粗 榧 *Cephalotaxus sinensis* (Rehd. et Wils.)Li …… 31
红豆杉科 Taxaceae
32 榧 子 *Torreya grandis* Fort. et Lindl. …… 32
麻黄科 Ephedraceae
33 木贼麻黄 *Ephedra equisetina* Bge. …… 33
34 草麻黄 *Ephedra sinica* Stapf …… 34
三白草科 Saururaceae
35 鱼腥草 *Houttuynia cordata* Thunb. …… 35
36 三白草 *Saururus chinensis* (Lour.)Baill. …… 36
胡椒科 Piperaceae
37 蒟 酱 *Piper betle* L. …… 37
38 山 蒟 *Piper hancei* Maxim. …… 38
39 荜 拨 *Piper longum* L. …… 39
40 胡 椒 *Piper nigrum* L. …… 40
41 石 楠 藤 *Piper wallichii* (Miq.)Hand.-Mazz. …… 41
杨柳科 Salicaceae
42 垂 柳 *Salix babylonica* L. …… 42
胡桃科 Juglandaceae
43 胡桃仁 *Juglans regia* L. …… 43
榆科 Ulmaceae
44 榆 树 *Ulmus pumila* L. …… 44
桑科 Moraceae
45 楮实子 *Broussonetia papyrifera*(L.)Vent. …… 45
46 火麻仁 *Cannabis sativa* L. …… 46
47 无花果 *Ficus carica* L. …… 47
48 薜荔 *Ficus pumila* L. …… 48
49 啤酒花 *Humulus lupulus* L. …… 49
50 葎草 *Humulus scandens* (Lour.)Merr. …… 50
51 桑白皮 *Morus alba* L. …… 51
荨麻科 Urticaceae
52 苎麻根 *Boehmeria nivea* (L.)Gaud. …… 52
檀香科 Santalaceae
53 檀 香 *Santalum album* L. …… 53
马兜铃科 Aristolochiaceae
54 北马兜铃 *Aristolochia contorta* Bge. …… 54
55 青木香 *Aristolochia debilis* Sieb. et Zucc. …… 55
56 广防己 *Aristolochia fangchi* Y. C. Wu er Chow et Hwang …… 56
57 寻骨风 *Aristolochia mollissima* Hance …… 57
58 杜 衡 *Asarum forbesii* Maxim. …… 58
59 细 辛 *Asarum sieboldii* Miq. …… 59
60 关木通 *Hocquartia manshuriensis*(Komar.)Naki …… 60

需要全本请访问 www.ertongbook.com

蓼科 Polygonaceae

61 金荞麦 *Fagopyrum dibotrys*(D. Don)Hara …… 61
62 荞麦 *Fagopyrum esculentum* Moench …… 62
63 萹蓄 *Polygonum aviculare* L. …… 63
64 拳参 *Polygonum bistorta* L. …… 64
65 火炭母 *Polygonum chinense* L. …… 65
66 虎杖 *Polygonum cuspidatum* Sieb. et Zucc. …… 66
67 何首乌 *Polygonum multiflorum* Thunb. …… 67
68 水红花子 *Polygonum orientale* L. …… 68
69 杠板归 *Polygonum perfoliatum* L. …… 69
70 大青叶 *Polygonum tinctorium* Lour. …… 70
71 华北大黄 *Rheum franzenbachii* Münt. …… 71
72 药用大黄 *Rheum officinale* Baill. …… 72

藜科 Chenopodiaceae

73 地肤子 *Kochia scoparia* (L.)Schrad. …… 73

苋科 Amaranthaceae

74 牛膝 *Achyranthes bidentata* Bl. …… 74
75 青葙子 *Celosia argentea* L. …… 75
76 鸡冠花 *Celosia cristata* L. …… 76
77 川牛膝 *Cyathula officinalis* Kuan …… 77
78 千日红 *Gomphrena globosa* L. …… 78

紫茉莉科 Nyctaginaceae

79 紫茉莉 *Mirabilis jalapa* L. …… 79

商陆科 Phytolaccaceae

80 商陆 *Phytolacca acinosa* Roxb. …… 80
81 美洲商陆 *Phytolacca americana* L. …… 81

马齿苋科 Portulaceae

82 马齿苋 *Portulaca oleracea* L. …… 82

石竹科 Caryophyllaceae

83 石竹 *Dianthus chinensis* L. …… 83
84 瞿麦 *Dianthus superbus* L. …… 84
85 太子参 *Pseudostellaria heterophylla* (Miq.)Pax ex Pax et Hoffm. …… 85
86 银柴胡 *Stellaria dichotoma* L. var. *lanceolata* Bge. …… 86

睡莲科 Nymphaeaceae

87 藕节 *Nelumbo nucifera* Gaertn. …… 87

毛茛科 Ranunculaceae

88 附子 *Aconitum carmichaeli* Debx. …… 88
89 关白附 *Aconitum coreanum*(Levl.)Rap. …… 89
90 北乌头 *Aconitum kusnezoffii* Reichb. …… 90
91 兴安升麻 *Cimicifuga dahurica* (Turcz.)Maxim. …… 91
92 升麻 *Cimicifuga foetida* L. …… 92
93 大三叶升麻 *Cimicifuga heracleifolia* Kom. …… 93
94 威灵仙 *Clematis chinensis* Osbeck …… 94
95 棉团威灵仙 *Clematis hexapetala* Pall. …… 95
96 黄连 *Coptis chinensis* Franch. …… 96
97 峨嵋黄连 *Coptis omeinensis*(Chen)C. Y. Cheng …… 97
98 白芍 *Paeonia lactiflora* Pall. …… 98
99 草芍药 *Paeonia obovata* Maxim. …… 99

100 牡丹皮 *Paeonia suffruticosa* Andr. …… 100
101 川赤芍 *Paeonia veitchii* Lynch …… 101
102 白头翁 *Pulsatilla chinensis*(Bge.)Rgl. …… 102
103 天葵子 *Semiaguilegia adoxoides*(DC.)Mak. …… 103
104 金莲花 *Trullius chinensis* Bge. …… 104

木通科 Lardizabalaceae
105 白木通 *Akebia trifoliata* (Thunb.)Koidz. var. *australis*(Diels)Rehd. …… 105

小檗科 Berberidaceae
106 细叶小檗 *Berberis poiretii* Schneid. …… 106
107 金花小檗 *Berberis wilsonae* Hemsl. et Wils. …… 107
108 六角莲 *Dysosma pleiantha* (Hance.)Woods. …… 108
109 心叶淫羊藿 *Epimedium brevicornum*(Fort.) Carr. …… 109
110 阔叶十大功劳 *Mahonia bealei* (Fort.)Carr. …… 110
111 狭叶十大功劳 *Mahonia fortunei* (Lindl.)Fedde …… 111

防己科 Menispermaceae
112 亚乎奴 *Cissampelos pareira* L. …… 112
113 衡州乌药 *Cocculus laurifolius* DC. …… 113
114 木防己 *Cocculus orbiculatus* (L.)DC. …… 114
115 北豆根 *Menispermum dauricum* DC. …… 115
116 白药子 *Stephania cepharantha* Hayata …… 116
117 粉防己 *Stephania tetrandra* S. Moore …… 117
118 金果榄 *Tinospora sagittata* (Oliv.)Gagnep. …… 118

木兰科 Magnoliaceae
119 八角茴香 *Illicium verum* Hook. f. …… 119
120 玉兰 *Magnolia denudata* Desr. …… 120
121 紫花玉兰 *Magnolia liliflora* Desr. …… 121
122 厚朴 *Magnolia officinalis* Rehd. et Wils. …… 122
123 五味子 *Schisandra chinensis* (Turcz.)Baill. …… 123
124 华中五味子 *Schisandra sphenanthera* Rehd. et Wils. …… 124

肉豆蔻科 Myristicaceae
125 肉豆蔻 *Myristica fragrans* Houtt. …… 125

樟科 Lauraceae
126 樟脑 *Cinnamomum camphora* (L.)Presl …… 126
127 肉桂 *Cinnamomum cassia* Presl …… 127
128 乌药 *Lindera aggregata* (Sims)Kosterm. …… 128
129 澄茄子 *Litsea cubeba* (Lour.)Pers. …… 129

罂粟科 Papaveraceae
130 苦地丁 *Corydalis bungeana* Turcz. …… 130
131 齿瓣元胡 *Corydalis remota* Fisch. ex Maxim. …… 131
132 延胡索 *Corydalis yanhusuo* W. T. Wang …… 132
133 博落回 *Macleaya cordata* (Willd.)R. Br. …… 133
134 罂粟壳 *Papaver somniferum* L. …… 134

十字花科 Cruciferae
135 芸苔子 *Brassica campestris* L. …… 135
136 芥菜 *Brassica juncea* (L.)Czern. et Coss. …… 136
137 荠菜 *Capsella bursa-pastoris* (L.)Medic. …… 137
138 菘青 *Isatis indigotica* Fort. …… 138
139 独行菜 *Lepidium apetalum* Willd. …… 139

140 莱 菔 子 *Raphanus sativus* L. …… 140
141 白 芥 *Sinapis alba* L. …… 141
142 苏 败 酱 *Thlaspi arvense* L. …… 142

景天科 Crassulaceae

143 瓦 松 *Orostachys fimbriatus* (Tuscz.)Berg. …… 143
144 景 天 *Sedum erythrostictum* Miq. …… 144
145 垂 盆 草 *Sedum sarmentosum* Bunge …… 145

虎耳草科 Saxifragaceae

146 落 新 妇 *Astilbe chinensis* (Maxim.)Franch. et Sav. …… 146
147 常 山 *Dichroa febrifuga* Lour. …… 147

金缕梅科 Hamamelidaceae

148 路 路 通 *Liquidambar formosana* Hance …… 148
149 檵 木 叶 *Loropetalum chinense*(R. Br.)Oliv. …… 149

杜仲科 Eucommiaceae

150 杜 仲 *Eucommia ulmoides* Oliv. …… 150

蔷薇科 Rosaceae

151 仙 鹤 草 *Agrimonia pilosa* Ledeb. …… 151
152 光 皮 木 瓜 *Chaenomeles sinensis* (Thouin) Koehne …… 152
153 皱 皮 木 瓜 *Chaenomeles speciosa* (Sweet)Nakai …… 153
154 山 楂 *Crataegus pinnatifida* Bge. …… 154
155 山 里 红 *Crataegus pinnatifida* Bge. var. *major* N. E. Br. …… 155
156 枇 杷 叶 *Eriobotrya japonica* (Thunb.)Lindl. …… 156
157 石 楠 叶 *Photinia serrulata* Lindl. …… 157
158 委 陵 菜 *Potentilla chinensis* Ser. …… 158
159 翻 白 草 *Potentilla discolor* Bge. …… 159
160 莓叶委陵菜 *Potentilla fragarioides* L. …… 160
161 蛇含委陵菜 *Potentilla kleiniana* Wight et Arn. …… 161
162 杏 *Prunus armeniaca* L. …… 162
163 山 杏 *Prunus armeniaca* L. var. *ansu* Maxim. …… 163
164 山 桃 *Prunus davidiana* Franch. …… 164
165 欧 李 *Prunus humilis* Bge. …… 165
166 郁 李 *Prunus japonica* Thunb. …… 166
167 乌 梅 *Prunus mume* Sieb. et Zucc. …… 167
168 桃 *Prunus persica* (L.)Batsch. …… 168
169 樱 桃 核 *Prunus pseudocerasus* Lindl. …… 169
170 西伯利亚杏 *Prunus sibirica* L. …… 170
171 榆 叶 梅 *Prunus triloba* Lindl. …… 171
172 月 季 花 *Rosa chinensis*Jacq. …… 172
173 金 樱 子 *Rosa laevigata* Michx. …… 173
174 玫 瑰 花 *Rosa rugosa* Thunb. …… 174
175 掌叶覆盆子 *Rubus chingii* Hu …… 175
176 地 榆 *Sanguisorba officinalis* L. …… 176

豆科 Leguminosae

177 鸡 骨 草 *Abrus cantoniensis* Hance …… 177
178 儿 茶 *Acacia catechu* (L.)Willd. …… 178
179 合 欢 皮 *Albizzial julibrissin* Durazz. …… 179
180 直立黄芪 *Astragalus adsurgens* L. …… 180
181 华 黄 芪 *Astragalus chinensis* L. …… 181

182 扁茎黄芪 *Astragalus complanatus* R. Br. …… 182
183 膜荚黄芪 *Astragalus membranaceus* (Fisch.)Bge. …… 183
184 蒙古黄芪 *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.)Hsiao …… 184
185 苏木 *Caesalpinia sappan* L. …… 185
186 云实 *Caesalpinia decapetala* (Roth) Alst. …… 186
187 刀豆 *Canavalia gladiata* (Jacq.)DC. …… 187
188 钝叶决明 *Cassia obtusifolia* L. …… 188
189 望江南 *Cassia occidentalis* L. …… 189
190 决明子 *Cassia tora* L. …… 190
191 紫荆 *Cercis chinensis* Bge. …… 191
192 降香 *Dalbergia odorifera* T. Chen …… 192
193 广东金钱草 *Desmodium styracifolium* (Osb.)Merr. …… 193
194 白扁豆 *Dolichos lablab* L. …… 194
195 海桐皮 *Erythrina variegata* L. var. *orientalis* (L.)Merr. …… 195
196 皂角 *Gleditsia sinensis* Lam. …… 196
197 大豆黄卷 *Glycine max* (L.)Merr. …… 197
198 胀果甘草 *Glycyrrhiza inflata* Batal …… 198
199 甘草 *Glycyrrhiza uralensis* Fisch. …… 199
200 甜地丁 *Gueldenstaedtia verna* (Georgi)A. Bor. …… 200
201 红芪 *Hedysarum polybotrys* Hand.-Mazz. …… 201
202 含羞草 *Mimosa pudica* L. …… 202
203 常绿油马藤 *Mucuna sempervirens* Hemsl. …… 203
204 赤豆 *Phaseolus angularis* Wight. …… 204
205 赤小豆 *Phaseolus caicaratus* Roxb. …… 205
206 绿豆 *Phaseolus radiatus* L. …… 206
207 补骨脂 *Psoralea corylifolia* L. …… 207
208 紫檀 *Pterocarpus indicus* Willd. …… 208
209 野葛 *Pueraria lobata* (Willd.)Ohwi …… 209
210 粉葛 *Pueraria thomsonii* Benth. …… 210
211 苦参 *Sophora flavescens* Ait. …… 211
212 槐米 *Sophora japonica* L. …… 212
213 广豆根 *Sophora tonkinensis* Gagnep …… 213
214 密花豆 *Spatholobus suberectus* Dunn …… 214
215 葫芦巴 *Trigonella foenum-graecum* L. …… 215
216 蚕豆 *Vicia faba* L. …… 216

酢浆草科 Oxalidaceae

217 酢浆草 *Oxalis corniculata* L. …… 217

牻牛儿苗科 Geraniaceae

218 牻牛儿苗 *Erodium stephanianum* Willd. …… 218

亚麻科 Linaceae

219 亚麻子 *Linum usitatissimum* L. …… 219

古柯科 Erythroxylaceae

220 古柯 *Erythroxylun coca* Lam. …… 220

蒺藜科 Eygophyllaceae

221 刺蒺藜 *Tribulus terrestris* L. …… 221

芸香科 Rutaceae

222 酸橙 *Citrus aurantium* L. …… 222
223 代代花 *Citrus aurantium* L. var. *amara* Engl. …… 223

224	柚	*Citrus grandis* (L.)Osbeck ····· 224
225	化州柚	*Citrus grandis*(L.)Osbeck var. *tomentosa* Hort. ····· 225
226	柠檬	*Citrus limonia* Osbeck ····· 226
227	枸橼	*Citrus medica* L. ····· 227
228	佛手	*Citrus medica* L. var. *sarcodactylis* (Noot.)Swingle ····· 228
229	陈皮	*Citrus reticulata* Blanco ····· 229
230	香圆	*Citrus wilsonii* Tanaka ····· 230
231	黄皮	*Clausena lansium* (Lour.)Skeels ····· 231
232	白鲜皮	*Dictamnus dasycarpus* Turcz. ····· 232
233	三叉苦	*Evodia lepta* (Spreng.)Merr. ····· 233
234	吴茱萸	*Evodia rutaecarpa*(Juss.)Benth. ····· 234
235	黄柏	*Phellodendron amurense* Rupr. ····· 235
236	川黄柏	*Phellodendron chinense* Schneid. ····· 236
237	枸橘	*Poncirus trifoliata* (L.)Raf. ····· 237
238	芸香	*Ruta graveolens* L. ····· 238
239	花椒	*Zanthoxylum bungeanum* Maxim. ····· 239
240	两面针	*Zanthoxylum nitidum*(Roxb.)DC. ····· 240
苦木科		Simarubaceae
241	椿白皮	*Ailanthus altissima* (Mill.)Swingle ····· 241
242	鸦胆子	*Brucea javanica* (L.)Merr. ····· 242
橄榄科		Burseraceae
243	青果	*Canarium album* (Lour.)Raeusch. ····· 243
楝科		Meliaceae
244	苦楝皮	*Melia azedarach* L. ····· 244
245	川楝子	*Melia toosendan* Sieb. et Zucc. ····· 245
远志科		Polyalaceae
246	瓜子金	*Polygala japonica* Houtt. ····· 246
247	西伯利亚远志	*Polygala sibirica* L. ····· 247
248	远志	*Polygala tenuifolia* Willd. ····· 248
大戟科		Euphorbiaceae
249	巴豆	*Croton tiglium* L. ····· 249
250	狼毒大戟	*Euphorbia fischeriana* Steud. ····· 250
251	泽漆	*Euphorbia helioscopia* L. ····· 251
252	地锦草	*Euphorbia humifusa* Willd. ····· 252
253	千金子	*Euphorbia lathyris* L. ····· 253
254	京大戟	*Euphorbia pekinensis* Rupr. ····· 254
255	斑地锦	*Euphorbia supina* Rafin ····· 255
256	余甘子	*Phyllanthus emblica* L. ····· 256
257	蓖麻子	*Ricinus communis* L. ····· 257
258	龙脷叶	*Sauropus rostratus* Miq ····· 258
259	一叶荻	*Securinga suffruticosa* (Pall.)Rehd. ····· 259
260	透骨草	*Speranskia tuberculata* (Bge.)Baill. ····· 260
黄杨科		Buxaceae
261	黄杨	*Buxus sinica* (Rehd. et Wils.)M. Cheng ····· 261
漆树科		Anacardiaceae
262	广枣	*Choerospondias axillaris* (Roxb.)Burtt et Hill ····· 262
263	檬果	*Mangifera indica* L. ····· 263
264	盐麸木	*Rhus chinensis* Mill. ····· 264

265 青 麸 杨 *Rhus potaninii* Maxim. …… 265
266 漆 树 *Rhus verniciflua* Stokes …… 266
冬青科 Aquifoliaceae
267 枸 骨 叶 *Ilex cornuta* Lindl. ex Paxt. …… 267
268 四 季 青 *Ilex purpurea* Hassk. …… 268
卫矛科 Celastraceae
269 南 蛇 藤 *Celastrus orbiculatus* Thunb. …… 269
270 鬼 箭 羽 *Euonymus alatus* (Thunb.)Sieb. …… 270
271 雷 公 藤 *Tripterygium wilfondii* Hook. f. …… 271
七叶树科 Hippocastanaceae
272 七 叶 树 *Aesculus chinensis* Bge. …… 272
无患子科 Sapindaceae
273 龙 眼 肉 *Dimocarpus longan* Lour. …… 273
274 荔 枝 核 *Litchi chinensis* Sonn. …… 274
275 无 患 子 *Sapindus mukorossi* Gaertn. …… 275
276 文 冠 木 *Xanthoceras sorbifolia* Bge. …… 276
凤仙花科 Balsaminaceae
277 急 性 子 *Impatiens balsamina* L. …… 277
鼠李科 Rhamnaceae
278 枳 俱 子 *Hovenia dulcis* Thunb. …… 278
279 大 枣 *Zizyphus jujuba* Mill. …… 279
280 酸 枣 仁 *Zizphus jujuba* Mill. var. *spinosa* (Bge.)Hu ex H. Fchow …… 280
葡萄科 Vitaceae
281 蛇 葡 萄 *Ampelopsis brevipedunculata* (Maxim.)Trautv. …… 281
282 白 蔹 *Ampelopsis japonica* (Thunb.)Makino …… 282
283 山 葡 萄 *Vitis amurensis* Rupr. …… 283
锦葵科 Malvaceae
284 磨 盘 草 *Abutilon indicum* L. Don …… 284
285 苘 麻 子 *Abutilon theophrasti* Medic. …… 285
286 芙 蓉 叶 *Hibiscus mutabilis* L. …… 286
287 木 槿 花 *Hibiscus syriacus* L. …… 287
288 野 西 瓜 苗 *Hibiscus trionum* L. …… 288
木棉科 Bombacaceae
289 木 棉 花 *Bombax malabaricum* DC. …… 289
梧桐科 Sterculiaceae
290 梧 桐 子 *Firmiana simplex* (L.)W. F. Wight. …… 290
291 胖 大 海 *Sterculia lychnophera* Hance …… 291
猕猴桃科 Actinidiaceae
292 猕 猴 桃 *Actinidia chinensis* Planch. …… 292
山茶科 Theaceae
293 山 茶 花 *Camellia japonica* L. …… 293
294 油 茶 *Camellia oleifera* Abel …… 294
藤黄科 Guttiferae
295 红 旱 莲 *Hypericum ascyron* L. …… 295
296 金 丝 桃 *Hypericum monogynum* L. …… 296
柽柳科 Tamaricaceae
297 西 河 柳 *Tamarix chinensis* Lour. …… 297
堇菜科 Violaceae

需要全本请访问 www.ertongbook.com