



Quantitative Chemical Analysis

Li Na
John J. Hefferren
Li Ke'an



北京大学出版社
PEKING UNIVERSITY PRESS



Quantitative Chemical Analysis

Li Na John J. Hefferren Li Ke'an



北京大学出版社
PEKING UNIVERSITY PRESS

图书在版编目(CIP)数据

定量化学分析=Quantitative Chemical Analysis: 英文(English)/李娜(Li Na), John J. Hefferren, 李克安(Li Ke'an)编著. —北京(Beijing): 北京大学出版社(Peking University Press), 2009. 10

ISBN 978-7-301-15659-9

I. 定… II. ①李…②Hefferren…③李… III. 定量分析—高等学校—教材—英文
IV. O655

中国版本图书馆 CIP 数据核字(2009)第 143867 号

Copyright © 2009 by Peking University Press. All rights reserved.

书 名: Quantitative Chemical Analysis(定量化学分析)

著作责任者: 李娜(Li Na) [美] John J. Hefferren 李克安(Li Ke'an) 编著

责任编辑: 郑月娥

封面设计: 林胜利 任海成

标准书号: ISBN 978-7-301-15659-9/O · 0786

出版发行: 北京大学出版社(Peking University Press)

地 址: 北京市海淀区成府路 205 号 100871

网 址: <http://www.pup.cn> 电子信箱: zye@pup.pku.edu.cn

电 话: 邮购部 62752015 发行部 62750672 理科编辑部 62752038 出版部 62754962

印刷者: 北京飞达印刷有限责任公司

经 销 者: 新华书店

787mm×980mm 16 开本 20 印张 500 千字

2009 年 10 月第 1 版 2009 年 10 月第 1 次印刷

定 价: 37.00 元

未经许可,不得以任何方式复制或抄袭本书之部分或全部内容。

版权所有,侵权必究

举报电话: (010)62752024 电子信箱: fd@pup.pku.edu.cn

PREFACE

This text brings together the individuals and the desire to develop a text for undergraduate students who have English as a second language. Our initial focus was undergraduate students with chemistry major in the College of Chemistry and Molecular Engineering, Peking University, Beijing, China, but now we hope and expect that other undergraduate students may be able to learn more easily with this text as they cope with the English language and the essentials of analytical chemistry.

Lecture Series Leading to Text:

The one semester course in analytical chemistry in English for undergraduate students was initiated by Professor Li Ke'an in February 2005 with Dr. Li Na as the presenter of one 2 hour lecture each week for 15 weeks. The size of the lecture room limited the number of students to 50.

Each year the students prepare presentations of their science project reports. The audience of their peers grades the oral presentations of those students who volunteered and were selected to give oral presentations. Competition for being included among the oral presenters has been impressive. Student discussion, grading of the presenters and the presentations bring forth a profound bonding. Each of us in the lecture room feels the shoes worn by another.

As we introduced different examples and illustrations to the lecture series, these quickly became ideas for the coming analytical chemistry text. In Chapter 1, the Human Genome Project was used to show the power and success possible when analytical chemists join forces to bring the minds and resources of the academic community to focus on a goal. The project is indeed a road map of problem solving using new and different technologies plus automation to resolve analytical road blocks to meet the time constraints of the Genome Project thus opening research opportunities for decades. A global environmental need brought together another group of scientists in the concluding Chapter 10 to address the ever present need to monitor drinking water contamination throughout the world. We selected arsenic as one example of the world-wide need for simple, sensitive, cost effective analytical methods to monitor drinking water. Again, we tried to show the rationale dictating

the path taken by scientists to deal with the specifics of water treatment analysis. Fundamental to analytical chemistry are the problem solving tools that scientific minds select for each set of circumstances. This analytical chemistry text lists many of the scientific minds of analytical chemistry from Berthelot and Jungfleisch in 1872 to those of 2009 who have provided the best tool for the situation.

Peking University Lecture Team:

This text has been assembled and is based upon more than a quarter of century of teaching analytical chemistry at Peking University. Many examples and illustrative problems in this text have been taken from previous textbooks in Chinese written by the Peking University Team Teaching Program. This text was written by Dr. Li Na and edited by Professor John Hefferren with the guidance of Professor Li Ke'an. Some of the Chinese teaching style has been used in the text to maintain ties to the Chinese traditions; however, references and terminology of established analytical chemistry books published in the world have also been used. It is hoped that this blend of perspective is helpful and interesting to all readers.

Authors:

Li Na is associate professor, Analytical Chemistry Division, College of Chemistry and Molecular Engineering, Peking University, Beijing, China. John J. Hefferren is guest professor of Peking University and adjunct professor, Department of Pharmaceutical Chemistry, School of Pharmacy, University of Kansas, Lawrence, Kansas, USA. Li Ke'an is professor and vice provost, Peking University, Beijing, China.

Acknowledgements:

Graduate students Zou Mingjian, Xu Xiao, Wang Xinyin, Chen Qiang and Chen Yang helped in many ways to the completion of the text. The text was supported in part by Peking University and prepared by the editorial staff.

We gratefully acknowledge the influence of those that we consider our chemistry colleagues who have written the texts of the world. It is our profound hope that each of you will join us in continuing to nurture the rich tradition of analytical chemistry.

Li Na, Ph. D.

John J. Hefferren, Ph. D.

Li Ke'an, professor

CONTENTS

CHAPTER 1 INTRODUCTION OF ANALYTICAL CHEMISTRY 1

1.1	What is Analytical Chemistry	2
1.2	Steps in the Development of an Analytical Method	5
1.3	Classification of Quantitative Analytical Methods	7
1.3.1	Chemical Analysis	7
1.3.2	Instrumental Analysis	8
1.4	Principles of Volumetric Titration	8
1.4.1	Basic Terms	9
1.4.2	Requirements of Titration Reactions	9
1.4.3	Classification of Titration Processes	10
1.4.4	Primary Standards and Standard Solutions	10
1.4.5	Basic Apparatus in Chemical Analyses	11
1.5	Calculations in Volumetric Titration	15
1.5.1	Preparation of Standard Solutions	15
1.5.2	Titration Results	18

CHAPTER 2 DATA ANALYSIS 22

2.1	Error and Classification	23
2.1.1	Accuracy and Precision	23
2.1.2	Errors and Deviation	24
2.1.3	Systematic and Random Errors	25
2.2	Distribution of Random Errors	26
2.2.1	Frequency Distribution	27
2.2.2	Normal Distribution	28
2.2.3	Predicting the Probability of Random Errors—Area under Gaussian Curve	30
2.3	Statistical Data Treatment	31
2.3.1	Estimation of Population Mean (μ) and Population Standard Deviation (σ)	31
2.3.2	Confidence Interval for Population Mean	34
2.3.3	Statistical Aids to Hypothesis Testing	37
2.3.4	Detection of Gross Errors	42

2.4	Propagation of Error	43
2.4.1	Systematic Errors	43
2.4.2	Random Errors (Standard Deviation)	43
2.4.3	Maximum Errors (E_R)	44
2.4.4	Distribution of Errors	44
2.5	Significant Figure Convention	45
2.5.1	Significant Figures	45
2.5.2	Numerical Rounding in Calculations	47

CHAPTER 3 ACID-BASE EQUILIBRIUM 50

3.1	Equilibrium Constants and Effect of Electrolytes	51
3.2	Acid-base Reactions and Equilibria	53
3.2.1	Acid and Base—Brønsted Concept	53
3.2.2	Dissociation of Acid or Base and Acid-base Equilibria	55
3.2.3	Magnitude of Dissociating Species at a Given pH: α -values	57
3.3	Solving Equilibrium Calculations Using pH Calculations as an Example	61
3.3.1	General Approaches (Systematic Approaches)	61
3.3.2	pH Calculations	64
3.4	Buffer Solutions	71
3.4.1	pH Calculations of Buffer Solutions	71
3.4.2	Buffer Capacity	72
3.4.3	Preparation of Buffers	74

CHAPTER 4 ACID-BASE TITRATION 78

4.1	Acid/Base Indicators	79
4.1.1	Principle	79
4.1.2	Examples	80
4.1.3	Titration Errors	82
4.1.4	Factors Influencing Performance	82
4.2	Titration Curves and Selection of Indicators	83
4.2.1	Strong Acids (Bases)	83
4.2.2	Monoprotic Acids (Bases)	86
4.2.3	Strong and Weak Acids (Bases)	91
4.2.4	Polyfunctional Weak Acids (Bases)	92
4.2.5	Mixture of Weak Acids (Bases)	95
4.3	Titration Error Calculations	95
4.3.1	Strong Acids (Bases)	95

4.3.2	Monoprotic Weak Acids (Bases)	96
4.3.3	Polyfunctional Acids (Bases)	97
4.4	Preparation of Standard Solutions	98
4.4.1	Standard Acid Solutions	98
4.4.2	Standard Base Solutions	99
4.4.3	The Carbonate Error	100
4.5	Examples of Acid-base Titrations	101
4.5.1	Determination of Total Alkalinity	101
4.5.2	Determination of Nitrogen	102
4.5.3	Determination of Boric Acid	103
4.6	Acid-base Titrations in Non-aqueous Solvents	104
4.6.1	Non-aqueous Solvents	104
4.6.2	Examples of Non-aqueous Titrations	105

CHAPTER 5 COMPLEXATION REACTION AND COMPLEXOMETRIC TITRATION 108

5.1	Complexes and Formation Constants	109
5.1.1	Formation Constants	109
5.1.2	Concentration of ML_n in Complexation Equilibria	111
5.1.3	Ethylenediaminetetraacetic Acid (EDTA) and Metal-EDTA Complexes	113
5.1.4	Side Reaction Coefficients and Conditional Formation Constants in Complexation Reactions	115
5.2	Metallochromic Indicators	122
5.2.1	How a Metallochromic Indicator Works	122
5.2.2	Color Transition Point pM ($(pM)_i$) for Metallochromic Indicators	123
5.2.3	Frequently Used Metallochromic Indicators	125
5.3	Titration Curves and Titration Errors	126
5.3.1	Titration Curves	126
5.3.2	Titration Errors	128
5.3.3	pH Control in Complexometric Titrations	129
5.4	Selective Titrations of Metal Ions in the Presence of Multiple Metal Ions	130
5.4.1	Selective Titration by Regulating pH	131
5.4.2	Selective Titration Using Masking Reagents	133
5.5	Applications of Complexometric Titrations	137
5.5.1	Buffer Selection in Complexometric Titrations	137
5.5.2	Titration Methods and Applications	138
5.5.3	Preparation of Standard Solutions	142

CHAPTER 6 REDOX EQUILIBRIUM AND TITRATION 146

- 6.1 Standard Electrode Potentials, Formal Potentials and Redox Equilibria 147
 - 6.1.1 Standard Electrode Potentials 147
 - 6.1.2 The Nernst Equation and Formal Potentials 149
 - 6.1.3 Factors Affecting the Formal Potential 150
 - 6.1.4 The Equilibrium Constant of Redox Reaction 154
- 6.2 Factors Affecting the Reaction Rate 155
 - 6.2.1 Concentrations 156
 - 6.2.2 Temperature 157
 - 6.2.3 Catalysts and Reaction Rate 157
 - 6.2.4 Induced Reaction 157
- 6.3 Redox Titrations 158
 - 6.3.1 Constructing Redox Titration Curves 158
 - 6.3.2 Indicators 162
 - 6.3.3 Auxiliary Oxidizing and Reducing Agents 164
- 6.4 Examples of Redox Titrations 165
 - 6.4.1 Potassium Permanganate (KMnO_4) 165
 - 6.4.2 Potassium Dichromate ($\text{K}_2\text{Cr}_2\text{O}_7$) 168
 - 6.4.3 Iodine; Iodimetry and Iodometry 169
 - 6.4.4 Potassium Bromate (KBrO_3) 173
 - 6.4.5 Ceric Sulfate ($\text{Ce}(\text{SO}_4)_2$) 174

CHAPTER 7 PRECIPITATION EQUILIBRIUM, TITRATION, AND GRAVIMETRY 177

- 7.1 Precipitation Equilibria and Solubility 178
 - 7.1.1 Solubility of Precipitates in Pure Water 178
 - 7.1.2 Ionic Strength and the Solubility of Precipitates 178
 - 7.1.3 Common Ion and the Solubility of Precipitates 179
 - 7.1.4 pH and the Solubility of Precipitates 179
 - 7.1.5 Complexing Agents and the Solubility of Precipitates 182
- 7.2 Precipitation Titrations 184
 - 7.2.1 Titration Curves 184
 - 7.2.2 Examples of Methods Classified by Endpoint Indication 186
 - 7.2.3 Preparation of Standard Solutions 189
- 7.3 Precipitation Gravimetry 190
 - 7.3.1 Classification of Gravimetric Methods of Analysis 190
 - 7.3.2 General Procedure and Requirements for Precipitation 190

7.3.3	Precipitate Formation	192
7.3.4	Obtaining High Purity Precipitates	193
7.3.5	Experimental Considerations	197
7.3.6	Examples of Organic Precipitating Reagents	200

CHAPTER 8 SPECTROPHOTOMETRY 206

8.1	Principle of Spectrochemical Analysis	207
8.1.1	Properties of Electromagnetic Radiation	207
8.1.2	Interaction of Electromagnetic Radiation with Matter	208
8.1.3	Beer's Law, the Quantitative Principle of Light Absorption	213
8.1.4	Limitations to Beer's Law	216
8.2	Principles of Instrumentation	217
8.2.1	Instrumentation	217
8.2.2	Instrumental Errors in Absorption Measurement	226
8.3	Applications of Spectrophotometry	226
8.3.1	Single Component Analyses	226
8.3.2	Multicomponent Analyses	228
8.3.3	Spectrophotometric Titrations	230
8.3.4	Studies of Complex Formation in Solutions	231
8.3.5	Measurements of Dissociation Constants of Organic Acids/Bases	233

CHAPTER 9 INTRODUCTION TO ANALYTICAL SEPARATION 238

9.1	General Considerations of Separation Efficiency	239
9.2	Separation by Precipitation	241
9.2.1	Inorganic Precipitants	241
9.2.2	Organic Precipitants	242
9.2.3	Coprecipitation of Species in Trace Amounts for Separation	243
9.2.4	Improving the Selectivity of Precipitation Separation	244
9.3	Separation by Extraction	245
9.3.1	Principles for Liquid-liquid Extraction	245
9.3.2	Percent Extraction	247
9.3.3	Extraction of Inorganic Species	249
9.3.4	Other Extraction Methods	254
9.4	Separation by Ion Exchange	257
9.4.1	Ion Exchange Resins	257
9.4.2	Cross-linkage and Exchange Capacity	259

9.4.3	Ion Exchange Equilibria	260
9.4.4	Applications of Ion Exchange Separation	261
9.5	Separation by Chromatography	263
9.5.1	Classification	263
9.5.2	Chromatogram	264
9.5.3	Column Chromatography	265
9.5.4	Planar Chromatography	266

CHAPTER 10 SOLVING A REAL ANALYTICAL PROBLEM 271

10.1	Definition of the Analytical Problem	272
10.2	Literature Review	273
10.3	Choosing a Method	275
10.4	Developing and Evaluating the Method	276
10.4.1	Selectivity	276
10.4.2	Accuracy	277
10.4.3	Sensitivity and Linear Dynamic Range	279
10.5	Conclusion	280

APPENDICES 281

Appendix A	References	281
Appendix B	Indicators	283
Appendix C	Activity Coefficients(γ) for Ions at 25°C	285
Appendix D	Constants for Acid-base, Complexometric, Redox, and Precipitation Titrimetry	286
Appendix E	Molecular Masses	299

ANSWERS 302**INDEX 305****PERIODIC TABLE OF THE ELEMENTS 309**

CHAPTER 1

INTRODUCTION OF ANALYTICAL CHEMISTRY

- 1.1 What is Analytical Chemistry**
- 1.2 Steps in the Development of an Analytical Method**
- 1.3 Classification of Quantitative Analytical Methods**
 - 1.3.1 Chemical Analysis
 - 1.3.2 Instrumental Analysis
- 1.4 Principles of Volumetric Titration**
 - 1.4.1 Basic Terms
 - 1.4.2 Requirements of Titration Reactions
 - 1.4.3 Classification of Titration Processes
 - 1.4.4 Primary Standards and Standard Solutions
 - 1.4.5 Basic Apparatus in Chemical Analyses
- 1.5 Calculations in Volumetric Titration**
 - 1.5.1 Preparation of Standard Solutions
 - 1.5.2 Titration Results

This chapter deals with the basis of analytical chemistry including the definition of analytical chemistry, steps of developing an analytical method, classification of the analytical methods, and introduction of volumetric analysis.

1.1 WHAT IS ANALYTICAL CHEMISTRY

Analytical chemistry is a measurement science, responsible for characterizing the composition of natural and artificial materials, both qualitatively (what is present) and quantitatively (how much is present). With the advancement of science, the current definition of analytical chemistry would be “analytical chemistry is the science of inventing and applying the concepts, principles, and strategies for measuring the characteristics of chemical systems and species” (Murray R W. *Anal Chem*, 1991, 63: 271A). Analytical chemistry widely applies the knowledge of all the other chemical disciplines, physics, biology, information theory and many other technical fields to the development of analytical methods for all the sciences and human activities with information on the character and amount of chemical species and their distribution in space and time. In return, analytical chemistry is of fundamental importance to academia and industry of almost all disciplines, naming a few: biological sciences, engineering, medicine, public health, and the environment, as well as homeland and food safety.

The human genome project (HGP) is one of the best examples to demonstrate how analytical chemistry came to the rescue to solve the human genome mysteries. The human genome project started in 1990 and was scheduled to finish in 2005. There are approximately 20000~25000 genes in human DNA which is composed of 3 billion base pairs ([http://www.ornl.gov/sci/tech resources/Human_Genome/project/](http://www.ornl.gov/sci/tech_resources/Human_Genome/project/)).

DNA, as shown in Figure 1.1, is a polymer with the monomer units called nucleotides. Each nucleotide consists of a pentacarbon sugar (deoxyribose), a nitrogen containing base attached to the sugar, and a phosphate group. There are four different types of nucleotides found in DNA, differing only in the nitrogenous base, adenine (A), thymine (T), guanine (G), and cytosine (C). DNA is a normally double stranded macromolecule. Within the DNA double helix, A forms two hydrogen bonds with T on the opposite strand, and G forms three hydrogen bonds with C on the opposite strand. A DNA sequence or genetic sequence is a succession of letters (A, T, G, and C) representing the primary structure of a real or

hypothetical DNA molecule or strand, with the capacity to carry information as described by the *central dogma* of molecular biology.

At the early stage, human DNA was sequenced by the Sanger method which used gel electrophoresis with radioactive labeled dideoxynucleotides (ddNTPs) to produce fragments terminated at each of the four bases in separate lanes. This method was time consuming, labor intensive, and expensive. It is hard to imagine that HGP can be accomplished in time using this traditional method.




Figure 1.1 Illustration diagram for DNA structure.

Fortunately, analytical chemists worked together to make this happen. Professor Lloyd Smith at the University of Wisconsin-Madison developed the strategy of four-color DNA sequencing which made it possible to run the entire sequencing reaction in one lane rather than keeping the A, G, C, T bases in separate channels (Figure 1.2). Laser was induced to ensure a high sensitivity of this technique. Professor Barry Karger of Northwestern University developed a modified linear polyacrylamide matrix (LPA) DNA separation in a capillary. This polymer provided high-resolution separation performance that was easy to reload the capillaries by simply blowing out the polymer solution. Many analytical chemists worked on developing capillary arrays for high throughput assays. In 1992, Professor Rich Mathies and his colleagues at the University of California-Berkeley developed a 25-capillary array system with scanning detection (Figure 1.3). The confocal microscope set-up together with laser induced fluorescence detection provided very high spatial resolution and sensitivity, arming this system with higher

throughput. The capillary electrophoresis combined with laser induced fluorescence detection by labeling four bases with different fluorescent dyes, and made it possible to run the sequencing in one lane or channel (Elizabeth Zubritsky. How analytical chemists saved the human genome project... or at least gave it a helping hand. Anal Chem, 2002, 74 (1): 22 A-26 A).




Figure 1. 2 Optical system employed for multiple wavelength fluorescence detection in capillary electrophoresis of DNA. From Luckey J A, Drossman H, Kostichka A J, et al. High-speed DNA sequencing by capillary electrophoresis. Nucleic Acids Res, 1990,18(15): 4417-4421.

The human genome project was completed in 2003, two years ahead of the projected deadline, which is best demonstration of how analytical chemists contributed by improving the throughput, speed, sensitivity, reproducibility of the analytical method for DNA sequencing, and an appropriate way (in this author's eyes) to commemorate the 50th anniversary of the discovery of DNA-helix structure in 1953 by James Watson and Francis Crick who shared the 1962 Nobel Prize.

Another good example would be the food-borne pathogen detection. The detection of pathogenic bacteria is the key step in prevention and identification of problems related to public health and safety. The most frequently used methods are based on culture and colony counting methods. While this method gives reliable results, it is very time consuming, and usually needs a few days to one week to give a result. Biosensor technology can provide equally reliable results in a much shorter

time period. For detection of *Legionella pneumophila*, the colony count method needs 5~14 days to give a final result, in contrast the polymerase chain reaction (PCR) method and biosensor method need only 1~2 hours. Although the new techniques need to improve their sensitivity to the same level as the traditional method, the new methods provided a faster and more realistic approach for food pathogen detection (Olivier Lazckaa, F Javier Del Campob, and F Xavier Muñoz. Pathogen detection: A perspective of traditional methods and biosensors. Biosensors and Bioelectronics, 2007,22 (7): 1205-1217).




Figure 1.3 The exploded schematic view of focal zone (A) and the capillary array holder (B) of the laser-excited, confocal fluorescence capillary array scanner. From Huang X H C, Quesada M A, and Mathies R A. Capillary array electrophoresis using laser-excited confocal fluorescence detection. Anal Chem, 1992, 64(8): 967-972.

1.2 STEPS IN THE DEVELOPMENT OF AN ANALYTICAL METHOD

An **analyte** is a substance or chemical constituent of a sample that is to be measured by an analytical method. The development of an analytical method for an analyte always starts with a problem encountered, followed by choosing an analytical method, acquiring the sample, processing the sample, eliminating interferences, calibrating and measuring concentrations, calculating results, and evaluating results by estimating their reliability.

Choosing an analytical method is a crucial step. Many factors need to be considered in selecting an analytical method. Accuracy is usually the first factor to be considered. Cost in

labor and time that combine to estimate the real cost often determine the selection of an analytical method. One always selects the method with the lowest real cost providing that the method meets the requirement of accuracy.

It is desirable to obtain a representative sample of less than one gram with the same composition as the bulk sample. Analysis of a non-representative sample will result in false information which in turn will result in wrong decision making.

The general sampling procedure for the solid sample is:

- Take small amount of samples from many sites within the bulk supply.
- Pool the samples together.
- Grind, sieve, and mix the sample to ensure homogeneity.

Sample preparation includes all necessary steps to obtain a final solution ready to be measured: drying, dissolution, eliminating interferences, enrichment and concentration. Sample preparation is usually the most difficult step and the major source of analytical error.

Absorption and desorption of water may occur during each of the sampling and storage steps that result in changes in the chemical composition of the solid sample. It is better that the sample is stored in a container located in an environment with controlled temperature and humidity. To best maintain the water content of the prepared solid sample as close as possible to that of the original sample, drying at selected temperature is usually conducted just before analysis starts.

Most analyses are performed on solutions of the analyte. Therefore, a dissolution step is necessary to dissolve the solid sample into a solution. The conditions of dissolution should be sufficiently mild to avoid loss of the analyte. The solvent should be able to dissolve the analyte rapidly and completely.

Once a sample is dissolved in a suitable solvent, it may be possible to proceed directly to the measurement step. However, in most cases, interferences must be eliminated before measurements. An **interference** is a species that coexists with the analyte and may affect the final measurement by enhancing or attenuating the signal. Few chemical and physical properties of importance in chemical analysis are unique to an individual chemical species, thus *masking or separating the interfering chemical species* from the analyte will be necessary. Separation methods used for analytical purpose will be introduced in Chapter 9.

Once the interferences are eliminated, the sample is ready for measurement step. After acquiring the sample concentration, a statistical report must be provided to estimate the reliability of the results.